


PRODUCT CATALOG

Cable and Signal Distribution



Contents

1. BUILDING LOW VOLTAGE

Telephone Cables

General Shielded	5
Pair to Pair Shielded	5
Unshielded	6
Armoured	6

Security Cables

Patch Alarm Cable	7
Multi Alarm Cable	7
CCTV Cable	8
Multi Coax Cable	8

4. COPPER STRUCTURED CABLING

Data Cables

Cat6 Cable	23
Cat6a Cable	24

Copper Patch Cords

RJ45 Cat6a	25
------------	----

Copper Accessories

Field Plug	25
Keystone Jack	26
Plug & Access	27
Face Plate	28

2. MULTIMEDIA

Cables

Grade 3TV	11
CATV Cable	11
Speaker Cable	12
Video Cable	12

Cords

HDMI Cords	13
Balun Cords	13
Octopus Balun	14

TV Access

Amplifier	14
Splitter	15
Connector	16

5. RACKS AND ENCLOSURES

Racks

Patch Panel	31
Cable Manager	31
Shelf	32
Power Socket	32

3. INDUSTRIAL LOW VOLTAGE

Control Cables

LIYCY	19
-------	----

LIHCH	19
-------	----

LIYCYP	19
--------	----

Rubber Cables

H03VV-F	19
---------	----

H05VV-F	19
---------	----

H07RN-F	19
---------	----

Beltype Cables

AWG16	20
-------	----

AWG22	20
-------	----

AWG24	20
-------	----

Solar & Renewable Energy

Solar Cable	20
-------------	----


Bus Cables

Eibbus	21
--------	----



1

Building Low Voltage




Telephone Cables – General Shielded

PRODUCT INFORMATION

- Ensuring stable voice transmission.
- Overall shielding SYTI AWG20 or AWG24.
- 1 pair up to 56 pairs .
- Flame retardant CPR Eca, Cca, B2ca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
SYTI AWG24	OSSYTINPA24xxX	N=from 1 pair to 56 pairs, CPR Eca	X=coil; drum
SYTI AWG24	OSSYTINPA24ZHCxxX	N=from 1 pair to 56 pairs, CPR Cca	X=coil; drum
SYTI AWG20	OSSYTINPA20xxX	N=from 1 pair to 56 pairs, CPR Eca	X=coil; drum
SYTI AWG20	OSSYTINPA20ZHCxxX	N=from 1 pair to 56 pairs, CPR Cca	X=coil; drum
SYTI AWG20	OSSYTINPA20ZHB2xxX	N=from 1 pair to 56 pairs, CPR B2ca	X=coil; drum


Telephone Cables – Pair to Pair Shielded

PRODUCT INFORMATION

- Delivering industry-leading crosstalk suppression.
- High-performance individually shielded SYTI AWG20 or AWG24.
- 1 pair up to 56 pairs.
- Flame retardant CPR Eca, B2ca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
SYTI AI AWG24	OSSYTIAINPA24xxX	N=from 1 pair to 56 pairs, CPR Eca	X=drum
SYTI AI AWG24	OSSYTIAINPA24ZHB2xxX	N=from 1 pair to 56 pairs, CPR B2ca	X=drum
SYTI AI AWG20	OSSYTIAIIPA20xxX	N=from 1 pair to 56 pairs, CPR Eca	X=drum
SYTI AI AWG20	OSSYTIAIIPA20ZHB2xxX	N=from 1 pair to 56 pairs, CPR B2ca	X=drum


Telephone Cables – Unshielded

PRODUCT INFORMATION

- Short-distance patching.
- Often terminated with RJ11 or RJ12 plugs.
- Flame retardant CPR Eca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
PTT298	OSPTTL298xxX	CPR Eca	X=coil; drum
PTT298	OSPTT298xxX	CPR Eca	X=coil; drum
SYTI SE	OSSYTIIIPA20SExxX	1 pair, CPR Eca	X=coil; drum


Telephone Cables – Armoured

PRODUCT INFORMATION

- Featuring double steel tape or steel wire braid armor.
- Ideal for direct burial, industrial plants, outdoor duct installations.
- 3 pairs up to 56 pairs.
- Flame retardant CPR Eca, B2ca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
SYT2 AWG24	OSSYT2NPA24xxX	N=from 3 pairs to 56 pairs, CPR Eca	X=drum
SYT2 AWG24	OSSYT2NPA24ZHB2xxX	N=from 3 pairs to 56 pairs, CPR B2ca	X=drum
SYT2 AWG20	OSSYT2NPA20xxX	N=from 3 pairs to 56 pairs, CPR Eca	X=drum
SYT2 AWG20	OSSYT2NPA20ZHB2xxX	N=from 3 pairs to 56 pairs, CPR B2ca	X=drum


Security Cables – Patch Alarm Cable

PRODUCT INFORMATION

- Multi-conductor unshielded designed.
- Stranded construction (22 AWG) ensures flexibility.
- 4 cores to 10 cores.
- Flame retardant CPR Eca, Cca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Nx0.22 CCA	OSALLN22xxX	N=from 4 cores to 10 cores, CPR Eca	X=box; drum
Nx0.22 CU	OSALN22xxX	N=from 4 cores to 10 cores, CPR Eca	X=box; drum
Nx0.22 CU	OSALN22ZHCxxX	N=from 4 cores to 10 cores, CPR Cca	X=box; drum


Security Cables – Multi Alarm Cable

PRODUCT INFORMATION

- Maintaining clean signal integrity for both security and access control wiring.
- 4 cores to 10 cores with power cord.
- Flame retardant CPR Eca, Cca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Nx0.22+2C CCA	OSALLN75xxX	N=from 4 cores to 10 cores, CPR Eca	X=box; drum
Nx0.22+2C CU	OSALN75xxX	N=from 4 cores to 10 cores, CPR Eca	X=box; drum
Nx0.22+2C CU	OSALN75ZHCxxX	N=from 4 cores to 10 cores, CPR Cca	X=box; drum


Security Cables – CCTV Cable

PRODUCT INFORMATION

- Multi-layer shielding provides robust rejection of EMI and RFI interference.
- Offers low signal attenuation and stable 75Ω impedance.
- Flame retardant CPR Eca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
KX6	OSCSKX6xxX	CPR Eca	X=drum
RG59	OSCSRG59xxX	CPR Eca	X=drum


Security Cables – Multi Coax Cable

PRODUCT INFORMATION

- The compact, dual-cable-in-one design simplifies installations.
- In a round or shotgun configuration.
- Flame retardant CPR Eca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
KX6+2C	OSCSNKX6275xxX	N=flat or round(G), CPR Eca	X=drum
RG59+2C	OSCSNRG59275xxX	N=flat or round(G), CPR Eca	X=drum



2

Multimedia




Cables – Grade 3TV

PRODUCT INFORMATION

- A single-cable solution for triple-play residential installations.
- Delivering data, voice, and TV over the same infrastructure.
- Flame retardant CPR Cca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Grade 3TV	OSG3TVs4CIVTX	CPR Cca	X=drum

* For more Cat6 FTP options, please refer to data cables range from page 23.


Cables – CATV Cable

PRODUCT INFORMATION

- 75 Ω coaxial cable, stable transmission of terrestrial, digital, and satellite TV signals.
- Available in multiple constructions for indoor or outdoor installation.
- Covers the full DTT and satellite intermediate-frequency band with low signal attenuation.
- Flame retardant CPR Fca and Eca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
RG6 indoor	OSCA17S2AL35BxxX	CPR Eca	X=spool; drum
RG6 outdoor	OSCA17S2AL35BPExxX	CPR Fca	X=spool; drum


Cables – Speaker Cable

PRODUCT INFORMATION

- Available in flat profile for discreet routing under carpets and behind baseboards or round construction for standard in-wall/conduit installation.
- Optimized conductor geometry, cross-section from 0.5mm² to 2.5mm².
- Flame retardant CPR Eca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Speaker Flat	OSSP2NnRBX	N=from 0.5 ² to 2.5 ² , CPR Eca	X=spool; drum
Speaker Round	OSSPR2NnxxX	N=from 0.5 ² to 2.5 ² , CPR Eca	X=spool; drum

Cables – Video Cable

PRODUCT INFORMATION

- High-bandwidth digital video and audio transmission for displays and projectors.
- Maintains strict 100-ohm differential impedance for error-free digital signal transfer.
- Flame retardant CPR Dca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Video HD	OSVIHD1069ZHDxx5	CPR Dca	drum
Video HD	OSVIHD0645ZHDxx5	CPR Dca	drum
Video HD	OSVIHD0860ZHDxx5	CPR Dca	drum
Video HD	OSVIHD1610ZHDxx5	CPR Dca	drum

Cords – HDMI Cords

PRODUCT INFORMATION

- Accommodate both short-distance connections and large-scale AV installations.
- Ultra high-speed HDMI cable supporting up to 8K at 60Hz and 4K at 120Hz with enhanced bandwidth for next-generation devices.
- Available in lengths from 1m to 30m.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
HDMI 2.0	OSHDMI20N	N= length from 1m to 30m	polybag
HDMI 2.1	OSHDMI21N	N=length from 1m to 15m	polybag

Cords – Balun Cords

PRODUCT INFORMATION

- Transform a 75 Ω coaxial TV/SAT signal into a 100 Ω signal carried over standard twisted-pair cabling.
- Enabling reuse of structured cabling infrastructure for TV distribution.
- Covers the full 50–2300 MHz band for DTT and satellite intermediate frequency applications.
- Available connection F or IEC952 to RJ45, length 0.3m or 2m.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Balun Cords F to RJ45	OSBC45F03	0.3m	polybag
Balun Cords F to RJ45	OSBC45F2A952	2m with extra IEC952	polybag
Balun Cords IEC to RJ45	OSBC45IECNn	Nn=length 0.3m or 2m	polybag


Cords – Octopus Balun

PRODUCT INFORMATION

- Short distribution cord that splits TV and satellite signals from the communication panel to several apartment outlets in one operation.
- One F coaxial input feeds two RJ45 outputs across the full 5 to 2400 MHz band, covering DTT, satellite IF and FM radio.
- 25 cm length optimised for routing inside the communication panel, with a metal clip for DIN rail mounting.
- Zinc alloy body with ABS and PP housing, white RAL 9010.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Octopus Balun	OSDBOBF45C25	F to 2xRJ45	polybag

TV Access – Amplifier

PRODUCT INFORMATION

- SAT-inline-amplifier to boost the signal for long distances.
- Wideband 5–2400 MHz.
- Input with F connector, F output.
- Gain 20 dB max.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Inline Amplifier	OSDBIAFF	Dtv	box

TV Access – Amplifier

PRODUCT INFORMATION

- HD TV signals closer to the antenna, crucial for distant channels or when using splitters.
- Features include low noise, high gain, weatherproofing, and filters for 4G/5G LTE interference.
- Works with a power inserter for convenience.
- ZAMAC casing.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Mast Amplifier	OSDBMAFF2148PS	Dtv	box


TV Access – Splitter

PRODUCT INFORMATION

- For dividing a single antenna signal to feed multiple TVs or tuners.
- 2-way / 3-way / 4-way / 6-way / 8-way output options.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Splitter	OSTASPN	N=output from 2 ways to 8 ways	polybag

TV Access – Connector

PRODUCT INFORMATION

- Terminating coaxial cables to wall plates, TVs, and set-top boxes.
- Twist-on terminations.
- F/F couplers.



Packaging



Connector



Adaptor

AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Twist F Connector	OSTAFS68M	Dtv	polybag
Adaptor	OSTAFAFF	Dtv	polybag



3

Industrial Low Voltage




Control Cables – LIYCY / LIHCH / LIYCYP

PRODUCT INFORMATION

- LIYCY features an overall tinned copper braid shield for effective EMI/RFI protection.
- LIYCYP provides an additional individually shielded pair construction for enhanced crosstalk suppression.
- Flame retardant CPR Eca and Cca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
LIYCY	OSCTLIYCYNnnxx5	Nnn= cores from 0.34 ² to 1.5 ² , CPR Eca	drum
LIHCH	OSCTLIHCHNnnxx5	Nnn= cores from 0.34 ² to 1.5 ² , CPR Cca	drum
LIYCYP	OSCTLIYCYNPnnxx5	NPnn= pairs from 0.34 ² to 1 ² , CPR Eca	drum


Rubber Cables – Rubber

PRODUCT INFORMATION

- Rubber compound remains flexible at low temperatures.
- Stands up to oil, grease, UV, ozone and mechanical abrasion.
- Multi-construction and cross-section available.
- Flame retardant CPR Eca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
H03VV-F	OSRBH03VVH2F2075xxX	CPR Eca	coil; drum
H05VV-F	OSRBH05VVFNpnxxX	NPn= pairs from 1 ² to 6 ² , CPR Eca	coil; drum
H07RN-F	OSRBH07RNF3GNnxxX	Nn= 1.5 ² to 2.5 ² , CPR Eca	coil; drum


Beltype Cables – Beltype

PRODUCT INFORMATION

- Combines copper and multiple conductor constructions within a single product family.
- Selected for projects where downtime is not an option and where mechanical.
- Thermal or electromagnetic constraints rule out conventional cables.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
AWG16	OSBTN162ZHxx5	N=1 or 2 pairs, CPR Eca	drum
AWG22	OSBTN222ZHDxx5	N=1 or 2 pairs, CPR Eca	drum
AWG24	OSBTN24120ZHxx5	N=1 or 2 pairs, CPR Eca	drum


Solar & Renewable Energy – Solar Cable

PRODUCT INFORMATION

- Black cross-linked sheath resists UV degradation across decades of direct sunlight exposure.
- A service range from -40°C up to +90°C and proven resistance to ozone, rain and snow.
- Manufactured to the H1Z2Z2-K standard recognized across European PV installations.
- Flame retardant CPR Dca.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Solar PV	OSSC1NZHDxx5	N=from 4² to 10², CPR Dca	drum


Bus Cables – Eibbus

PRODUCT INFORMATION

- Available in KNX/EIB configurations for smart building applications.
- RS-485 variants for industrial fieldbus networks.
- Engineered to perform reliably in harsh environments with resistance to oil, UV, chemicals, and extreme temperatures.
- Available in both standard fixed-installation and high-flex versions.



Packaging




AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
EIBBUS	OSEB2P08ZHDxx5	CPR Dca	drum
ETHERBUS	OSEBRS485ZHDxx5	CPR Dca	drum

4

Copper Structured Cabling



Data Cables – Cat6 Cable

PRODUCT INFORMATION

- Certified for 1 Gbps over 100 m and capable of 10 Gbps over shorter distances, with 250 MHz bandwidth headroom.
- Available in shielded (F/UTP, S/FTP) variants for high-EMI environments such as industrial sites or proximity to power lines, and unshielded (U/UTP) variants for standard office and residential installations.
- Flame retardant CPR Dca and Cca available.



Packaging



Cat6 UUTP

Cat6 FUTP

AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Cat6 UUTP			
Cat6 UUTP	OSDUU6L4PxxX	CPR Eca	coil; box; drum
Cat6 UUTP	OSDUU64PZHDxxX	CPR Dca	coil; box; drum
Cat6 UUTP	OSDUU64PZHCxxX	CPR Cca	coil; box; drum
Cat6 UUTP	OSDUU64PZHB2xxX	CPR B2ca	coil; box; drum
Cat6 FUTP			
Cat6 FUTP	OSDFU64PPEFxxX	CPR Fca	coil; box; drum
Cat6 FUTP	OSDFU64PZHDxxX	CPR Dca	coil; box; drum
Cat6 FUTP	OSDFU64PZHCxxX	CPR Cca	coil; box; drum
Cat6 FUTP dual	OSDFU68PZHDxxX	CPR Dca	drum


Data Cables – Cat6a Cable

PRODUCT INFORMATION

- Engineered for full-distance 10 Gigabit Ethernet deployment, with 500 MHz bandwidth.
- Shielded constructions (F/UTP, S/FTP) provide robust protection against alien crosstalk and EMI in industrial and converged environments.
- Unshielded U/UTP versions cover standard office and residential needs.
- Flame retardant CPR Dca, Cca and B2ca available.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Cat6a UUTP			
Cat6a UUTP	OSDUU6A4PZHB2xxX	CPR B2ca	box; drum
Cat6a FUTP			
Cat6a FUTP	OSDFU6A4PZHDxxX	CPR Dca	box; drum
Cat6a FUTP	OSDFU6A4PZHCxxX	CPR Cca	box; drum
Cat6a UFTP			
Cat6a UFTP	OSDUF6A4PZHDxxX	CPR Dca	box; drum
Cat6a UFTP	OSDUF6A4PZHCxxX	CPR Cca	box; drum
Cat6a FFTP			
Cat6a FFTP	OSDFF6A4PZHDxxX	CPR Dca	box; drum
Cat6a FFTP	OSDFF6A4PZHCxxX	CPR Cca	box; drum


Copper Patch Cords – RJ45 Cat6a

PRODUCT INFORMATION

- Stable PoE/PoE+/PoE++ delivery powers PTZ cameras, Wi-Fi access points and digital signage without compromise.
- Shielded and unshielded constructions match every environment, from standard offices to high-EMI industrial sites.
- Wide range of standard lengths and color options for clear rack organization.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Cat6a SFTP	OSPCSF6AZHNn	Nn=from 0.3m to 10m	polybag


Copper Accessories – Field Plug

PRODUCT INFORMATION

- Field-terminable RJ45 plug for on-site assembly of patch cords and direct cable terminations.
- Robust mechanical design ensures reliable contact and shield continuity on Cat6/Cat6a cables.



Packaging




AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Field Plug Cat6	OSPL6SI	-	polybag
Field Plug Cat6a	OSPL6ASI	-	polybag

Copper Accessories – Keystone Jack

PRODUCT INFORMATION

- Compact Cat6a shielded keystone connector engineered for 10 Gigabit Ethernet networks.
- Tool-free termination design dramatically reduces installation time on site while ensuring consistent contact quality and reliable shield continuity.
- Standard keystone format fits all common faceplates, patch panels and wall outlets.



Packaging

AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Keystone Cat6	OSKJ6S1	-	polybag
Keystone Cat6a	OSKJ6AS1	-	polybag


Copper Accessories – Plug & Access

PRODUCT INFORMATION

- Standard RJ45 modular plug for terminating Cat6 and Cat6a twisted-pair cables.
- Precision contacts and gold plating ensure low insertion loss and long-term contact stability across mating cycles.
- Shielded variants provide full 360° shield bonding for use in EMI-sensitive environments.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
RJ45 Cat6 8P8C shielded	OSPL45S6	-	polybag
RJ45 Cat6a 8P8C shielded	OSPL45S6A	-	polybag
RJ45 Cat6 8P8C unshielded	OSPL45U6	-	polybag
RJ45 Cat6 8P8C shielded EP	OSPL45S6EP	EASY PASS THROUGH	polybag
RJ45 Cat6a 8P8C shielded EP	OSPL45S6AEP	EASY PASS THROUGH	polybag
RJ45 Cat6 8P8C unshielded EP	OSPL45U6EP	EASY PASS THROUGH	polybag
RJ45 Cat6a 8P8C unshielded EP	OSPL45U6AEP	EASY PASS THROUGH	polybag

Copper Accessories – Plug & Access

PRODUCT INFORMATION

- Professional crimping tool for RJ45 modular plugs.
- engineered for repeatable contact compression and clean cable termination in the field.
- Compatible with standard 8P8C plugs used on Cat5e, Cat6 and Cat6a cabling.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Crimping Tool	OSPL45BITOOL		box


Copper Accessories – Face Plate

PRODUCT INFORMATION

- Wall-mount faceplates that protect terminations.
- Designed around the standard keystone format, they accept any combination of RJ45 Ethernet, RJ11 telephone or F-type coaxial jacks.




Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Face Plate	OSFP4545NPB8	N= 1 or 2 ports	box



5

Racks And Enclosures




Racks – Patch Panel

PRODUCT INFORMATION

- Terminating horizontal cabling and providing a clean, labeled interconnection point with active equipment via patch cords.
- Available in Cat6 and Cat6a versions, shielded or unshielded, in 24-port configurations.
- High-density layout, integrated cable management and color-coded labeling areas streamline moves.
- Adds and changes throughout the lifecycle of the network.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Patch Panel	OSPPIU24	-	box


Racks – Cable Manager

PRODUCT INFORMATION

- Designed to organize patch cord runs and preserve airflow inside network cabinets.
- Reduces strain on connectors, simplifies troubleshooting and protects the long-term integrity of the cabling system.
- Available in 1U and 2U formats with rings, brushes or D-rings depending on the application.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Cable Manager	OSCMBRUSH	brush	box
Cable Manager	OSCM5RFM	full metal with 5 rings	box


Racks – Shelf

PRODUCT INFORMATION

- 19-inch rack shelf for mounting non-rackable equipment such as small switches, KVMs, media converters or power supplies inside a standard cabinet.
- Heavy-duty steel construction with perforations for airflow.
- Available in fixed and sliding versions across multiple depths to fit shallow wall cabinets through to full-depth data center racks.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Shelf	OSSIUPNnn	Nnn=depth 250 to 300mm	box

Racks – Power Socket

PRODUCT INFORMATION

- Rack-mounted Power Distribution Unit for delivering and managing AC power to active equipment in server racks and network cabinets.
- Multiple outlets per unit, organized to support clean cabling and predictable power.



Packaging



AVAILABLE PRODUCTS

Product	Product Code	Remark	Individual packing
Power Socket	OSPDU8PCS90	S=with / without switch	box



